




Timur P.A. Pipe Industry Sdn. Bhd. (289692-X)



159, G1 Wisma Lam Hong (Ground Floor), Jalan Sungai Pinang, 10150 Pulau Pinang, Malaysia.
Tel: 604-281 3000 / 262 1025 Fax: 604-282 2228 / 263 0791 e-mail: info@timurpapipe.com


SIRIM
CERTIFIED TO : ASTM F 1282-03
Certification No : PT 052701

QUOTATION FOR COMPOSITE PIPES

Products	Specification	Unit Price (RM/m)	Quantity Ordered	FOB Total Amount (RM/m)
HOT WATER				
H : PERT-AL-PERT (PN 1.0 Mpa Tmax = 70°C)				
	1014 (3/8")			
	1216 (1/2")			
	1418 (5/8")			
	1620 (3/4")			
	2025 (1")			
	2632 (1 1/4")			
	3240 (1 1/2")			
	4150 (2")			
	5163 (2 1/2")			
	6075 (3")			
H-PEX : PEX-AL-PEX (PN 1.0 Mpa Tmax = 90°C)				
	1014 (3/8")			
	1216 (1/2")			
	1418 (5/8")			
	1620 (3/4")			
	2025 (1")			
	2632 (1 1/4")			
	3240 (1 1/2")			
	4150 (2")			
	5163 (2 1/2")			
	6075 (3")			
DRINKING WATER / GENERAL				
C : PE-AL-PE (PN 1.0 Mpa Tmax = 60°C)				
	1014 (3/8")			
	1216 (1/2")			
	1418 (5/8")			
	1620 (3/4")			
	2025 (1")			
	2632 (1 1/4")			
	3240 (1 1/2")			
	4150 (2")			
	5163 (2 1/2")			
	6075 (3")			
C-AM : PE-AL-PE (PN 1.0 Mpa Tmax = 60°C)				
	1014 (3/8")			
	1216 (1/2")			
	1418 (5/8")			

Sheet1

	1620 (3/4")			
	2025 (1")			
	2632 (1 1/4")			
	3240 (1 1/2")			
	4150 (2")			
	5163 (2 1/2")			
	6075 (3")			
GAS				
G : PE-AL-PE (PN 1.0 Mpa Tmax = 40°C)				
	1014 (3/8")			
	1216 (1/2")			
	1418 (5/8")			
	1620 (3/4")			
	2025 (1")			
	2632 (1 1/4")			
	3240 (1 1/2")			
	4150 (2")			
	5163 (2 1/2")			
	6075 (3")			
COMPRESSED AIR				
A : PE-AL-PE (PN 1.0 Mpa Tmax = 60°C)				
	1014 (3/8")			
	1216 (1/2")			
	1418 (5/8")			
	1620 (3/4")			
	2025 (1")			
	2632 (1 1/4")			
	3240 (1 1/2")			
	4150 (2")			
	5163 (2 1/2")			
	6075 (3")			



1. Delivery Time:

TBC.

2. Payment Terms:

Within 30-40 days after receipt of 30% payment by T/T in advance and 70% payment by T/T after production before transportation.

Sheet1

